मालिका गाउँपालिका

74.

गाउँ कार्यपालिकाको कार्यालय

अर्खावाङ्ग, गुल्मी लुम्बिनी प्रदेश, नेपाल

क्याटलग सपिङ्ग विधिबाट सवारी साधन खरिदसम्बन्धी सूचना

प्रथम पटक प्रकाशित मितिः २०८०/०९/१७

यस कार्यालयको लागि आवश्यक तपसिल अनुसारको स्पेशिफिकेशन बमोजिमको दुइपाडग्रे सवारी साधन ४ थान सार्वजिनक खिरद ऐन, २०६३ को दफा द को उपदफा १ (कद) तथा सार्वजिनक खिरद नियमावली, २०६४ को नियम ३१ख बमोजिम क्याटलग सिपि विधिबाट खिरद कार्य गर्नुपर्ने भएकोले ईजाजत प्राप्त उत्पादक वा अधिकृत विकेताले यो सूचना प्रकाशित भएको मितिले ७ (सात) दिन भित्र निवकरण भएको ईजाजतपत्र, आयकर र मूल्य अभिवृद्धि कर दर्ता प्रमाणपत्रहरू र आ.व. २०८०/०८१ सम्मको कर चुक्ता गरेको प्रमाणपत्रको प्रतिलिपी संलग्न गरी उत्पादकको आधिकारिक स्पेसिफिकेसन, गुणस्तर, मूल्य र सुविधा सिहतको विवरण (क्याटलग वा ब्रोसर) राखी सिलबन्दी प्रस्ताव यस कार्यालयमा दर्ता गराउनुहुन यो सूचना प्रकाशन गरिएको छ । रित नपुगी वा म्याद नाघी प्राप्त हुन आएको प्रस्ताव उपर कुनै कारवाही हुने छैन । प्राप्त प्रस्तावहरू स्वीकृत गर्ने वा नगर्ने सम्पूर्ण अधिकार यस कार्यालकमा निहीत रहने छ । सवारी साधनको स्पेसिफिकेसन सम्बन्धी जानकारी यस कार्यालयको बेभसाइट, www.malikamungulmi.gov.np बाट वा यस कार्यालयको जिन्सी शाखा बाट प्राप्त गर्न सिकने छ ।

गोपाल वहादुर सेन ओली

नि.प्रमुख प्रशासकीय अधिकृत

Technical Specifications

MOTORCYCLE 150±2% CC

S. No.	CRITERIA	REQUIREMENT	OFFERED SPECIFICATION
1	General	Petrol Engine Motor cycle of sturdy design, suitable for driving on rough and hilly road conditions of Nepal. Wet weight shall not be less than 135 Kg. and shall have seating capacity for at least 2 passengers including driver.	Make: Model: MFY: Country of Origin:
2	Engine	Single cylinder, Four Strokes Petrol engine of 150 ±2% CC, developing Maximum power output not less than 13 Ps at governed RPM and Maximum torque output not less than 12 Nm, for efficient running of motor cycle. Electric and kick starting.	Make: Model:
3	Emission Standard	The Emission Standard of the vehicle should comply with the Vehicle Mass Emission Standard of Nepal.	
4	Gauges	To include speedometer / odometer, Turn signal indicator, neutral indicator, fuel gauge etc. as necessary for efficient operation and maintenance.	
5	Transmission	Minimum Five speed	
6	Brake	Front: Disc & Rear: Drum/Disc	
7	Frame	Sturdy frame and suspension with telescopic shock absorbers. Minimum Ground Clearance: 160 mm	
8	Essential Accessories	 Head light, rear and turn signal lights Two rear view mirrors Alloy Wheel Safety lock for steering Seat for co-rider Helmet - 1 Nos. Leg guard Helmet Lock To be equipped with all accessories offered in standard model but not limited to the above items. 	



9	Instructions	All signs and instructions in the motor cycle shall be in English.	
10	Manuals	One copy of the Operator's and Owner's Instructions in English shall be supplied with each vehicle.	
11	Tools	A set of tools as required for general maintenance shall be supplied with in a lockable tool box for each unit.	
12	Proven performance	 The motor cycle offered shall be a current model under standard production by the manufacturer for at least one year. The bidder shall provide the manufacturer's data of the performance of the unit to include the fuel consumption, performance curve of the 	
13	Warranty	engine etc. Manufacturer shall provide a minimum of one year warranty after acceptance.	
14	Delivery	The Motorcycle shall be delivered to: Malika Rural Municipality , Gulmi	

Prepared By:

Name: Laxman Acharya

Designation: Mechanical Engineer

Office: DoR, HED, Butwal.
Signature: Mechanical Engineer.